## COPY OF AMENDED CLAIMS SHOWING CHANGES BEING MADE THERETO SERIAL NO. 09/785,941

- 1. (Amended) A rescue device comprising:
  - a floatation material;

5

5

- a flexible mesh disposed <u>entirely</u> about said floatation material, said flexible mesh being in contact with an outer surface of said floatation material; and
- a bonding material covering the flexible mesh and the floatation material.
  - 21. (Amended) A [floation] flotation device comprising:
    - a floatation material;
  - a flexible mesh disposed <u>entirely</u> about said floatation material, said flexible mesh being in contact with an outer surface of said floatation material; and
  - a bonding material covering the flexible mesh and the floatation material.
    - 22. (New) A rescue device comprising:
      - a floatation material;
  - a flexible mesh disposed about said floatation material, said flexible mesh being in contact with an outer surface of said floatation material;

a bonding material covering the flexible mesh and the floatation material; and

a tow line having first and second ends and a length, the first end of the tow line being coupled to one end of the rescue device, and the flexible mesh being secured to the tow line.

## 23. (New) A rescue device comprising:

a floatation material;

10

5

10

a flexible mesh disposed about said floatation material, said flexible mesh being in contact with an outer surface of said floatation material;

a bonding material covering the flexible mesh and the floatation material;

a tow line having first and second ends and a length, the first end of the tow line being coupled to one end of the rescue device; and

a securement device to retain the tow line in a compressed state.

24. (New) The rescue device according to claim 23, wherein the securement device comprises a strap.

- 25. (New) The rescue device according to claim 24, wherein the strap fastens upon itself by one of hook and loop fasteners, snap and button.
- 26. (New) The rescue device according to claim 23, wherein the securement device is coupled to the tow line.